

SCHOOL BUS SAFETY RULES OF ANDHRA PRADESH

- School name, address, and contact details should be displayed both on the left side and back of the school bus
- The age of a school bus driver should not exceed 60 years and they should undergo various health tests
- School authorities should appoint only those drivers who have 5 years of experience in driving the school bus
- School buses should be inspected regularly by the school authorities
- Every school bus should have emergency exit and it should be visible to everyone inside the bus
- First aid box along with essential medicines and equipments should be available in the school bus
- There should be at least one attendant in a school bus. But they should not be allowed to drive the bus
- The school bus driver as well as attendant should wear uniform as suggested by Transport Commissioner of Andhra Pradesh
- A complete list of students along with their name, address, class, and destination should be kept inside the bus
- Convex view mirrors should be installed in the bus so that drivers can watch the entrance and exit properly
- Every school bus should have a fire extinguisher, space for keeping bags of students, flash lights on each corner of the bus etc.
- School bus drivers should receive appropriate training before entering into the employment
- The school bus doors should have a safe locking system for improving student safety
- School buses should not carry children more than its seating capacity
- Handrails should be fixed near the doors for safe entry and exit of students

SCHOOL BUS SAFETY RULES OF ARUNACHAL PRADESH

- It is essential to have an inscription “School Bus” on the front and back of the bus
- If the bus is a hired one, “On School Duty” should be clearly displayed in front of the bus
- A school bus should have a First-Aid box along with necessary medicines and equipments
- All school bus windows must have horizontal grills fitted to it
- There must be a fire extinguisher, which can be easily seen by all school bus passengers
- Every school bus should have the name of the school and its telephone number displayed both on the front and rear side of the bus
- School bus doors must have a firm locking system and unlocking system
- Sufficient space should be provided to all students for keeping their bags safely and conveniently
- A trained and qualified school bus attendant, preferably a female one should accompany school bus students
- For additional safety, either a parent or a teacher can travel along with students in the school bus

SCHOOL BUS SAFETY RULES IN ASSAM

- Walk on the pathway only, and if there is no pathway, try to walk on the rightmost side of the road.
- It is not advisable to walk on roads in groups.
- Never try to run or hurry on road.
- Always cross the road at Zebra crossings and never cross on the blind spot of drivers, especially at corners.
- Do not run behind a bus.
- Make a queue and stand away from the road.
- Get on and off the bus only after the bus completely stops.
- Never deviate the attention of drivers by shouting or playing inside the bus.
- Hold hand rail tightly on a moving bus.

SCHOOL BUS SAFETY RULES OF BIHAR

- The word “School Bus” must be written on the front and back of the bus. And if it is a hired one, “On School Duty” should be displayed in front of the bus that is visible to every one
- Every school bus should have closed doors with alarms and reliable lock system. If the door is open , then the alarm makes a shrilling noise to give warning to drivers
- A school bus should be installed with CCTV cameras for ensuring safety of students
- There should be 3 adults in a school bus including a trained driver, a lady attendant and a conductor
- No private vehicle should be used to transport children to and from school
- Each school must have a Transport Committee, which consist of the School Principal, Transport manager and two parents or guardians
- A school bus should have a First Aid Box and a fire extinguisher
- Every school bus should have horizontal grills attached to its windows
- School bus name and contact details should be displayed on the bus
- There should be sufficient space provided to students for keeping bags safely
- For additional safety, teachers or guardian can accompany students in the bus
- Suggestions and grievances should be given to respective school's transport manager

SCHOOL BUS SAFETY RULES OF CHHATTISGARH

- School buses should be regularly maintained, cleaned and its doors must be fitted with a safe locking system
- No curtains or colored films should be stuck on school bus window
- A school bus should have essential documents such as pollution control certificate, insurance certificate and bills showing payment of taxes
- No school bus should be more than 12 years old
- If a bus is hired for transporting school students, it should be labelled as “On School Bus Duty” in front of the bus
- A horizontal grill must be fixed on every school bus window to ensure better safety
- Every school bus should have a fire extinguisher and first aid kit
- School bus attendants should be received appropriate training for handling emergency situations and use first aid kit appropriately
- A school bus driver must have license and minimum five years of experience in driving heavy vehicles
- No outsider shall be permitted to enter a school bus apart from students, guardian, teacher and drivers
- Students should be provided with sufficient space under the school bus seat for keeping bags safely
- School bus should be painted with yellow colour and the word school bus should be inscribed in a visible manner
- Every school vehicle should be operated within a particular speed limit
- Emergency doors must be fitted on the right side of a school bus

SCHOOL BUS SAFETY RULES OF GOA

- Every school bus should be painted in Yellow color and the word School Bus should be displayed in front of the bus.
- When a vehicle is hired for transporting school students, On School duty should be made visible to everyone
- A vehicle used as school bus should not be more than 15 years old from the date of its initial registration
- School authorities should have a complete list of students with their name, address, class, contact number, blood group, pickup point etc.
- Along with a driver, school buses should also have an attendant, preferably a female one to take care of the girl students
- In emergency situations, school bus driver and attendant should inform the relevant school authorities to make necessary arrangements and ensure student safety
- If a parent fails to pick a kindergarten student from the bus stop, school bus attendant should return the child back to school. After that school authorities should contact the parent to collect their child from school, till then the complete safety of that kid is the responsibility of school authorities
- There should be a convex cross view mirror that enables a driver to watch the entrance door and exit door of a school bus
- A handrail should be there in every school buses to help school children get on and off the bus
- Every school bus should have a first aid box, fire extinguisher, space under the seat to keep bags of students, warning lights
- A school bus driver should have at least 5 years of experience of driving
- The school bus should have a closed body with full steel body
- School authority should give punishments to drivers for offences such as drunken driving, over speeding, dangerous driving etc.
- All school buses should satisfy the requirements specified by Government
- Every four wheeler with a seating capacity of more than twelve used for carrying school children must have a board indicating school name and its route number

SCHOOL BUS SAFETY RULES OF GUJARAT

- Every bus transporting school children should be labeled as “School Bus” or “College Bus” both on the front and the back of the bus.
- Suppose a bus is a hired one, then a board indicating “On School Duty” should be placed in front of the bus
- No school bus should carry children more than it is permitted
- A first aid box is necessary in every school bus and it should contain relevant medicines and equipments
- All school buses should have horizontal grills in it for better safety of school bus children
- Every school bus must have an ISI marked fire extinguisher, which is visible to all school bus passengers
- The name of the school or educational institution and an unexpired telephone number of the school must be written on the bus
- There should be a strong lock system in every school bus
- School bus drivers should have at least 10 years of experience in driving heavy vehicle and must be free from all traffic related cases
- A female school bus attendant should be appointed to take care of school bus children
- Space should be provided to students for keeping bags safely
- For ensuring safety, school teachers can accompany students in the school bus

SCHOOL BUS SAFETY RULES OF HIMACHAL PRADESH

- Never run across the road and cross only at Zebra crossings
- Walk on the passage. In the case of roads without passage, walk on the right side of the roads
- Make sure that all lanes are clear before crossing the road
- Do not try to cross the road at a corner
- Putting head, hand or any other body part outside the stationary bus is prohibited
- Never travel on the footboard of the school bus
- In a moving bus, hold the handrail
- Always obey the school bus safety rules
- Give proper awareness to children about road safety
- While crossing a wide road, cross straight to the central island and then carefully cross from there.
- A child below 18years should not be allowed to drive
- Right supervision should be given about boarding and getting off the bus
- School buses must be checked regularly
- Any safety rule violation must be immediately reported to relevant authority at once

SCHOOL BUS SAFETY RULES OF JAMMU AND KASHMIR

- Every school bus should be painted in yellow color
- School bus should be shown on the front and back of the bus. In the case of a hired bus, On School Duty should be displayed in front of the bus
- There should be a first aid box, speed governing device and a fire extinguisher inside the bus
- The windows of school buses should have horizontal grills in it
- School name and its telephone number should be shown anywhere outside the school bus
- For better safety, school bus doors should have a safe locking system and have sufficient space for keeping bags of students
- No school buses should carry children more than its seating capacity
- There should be a skillful attendant to take care of students
- A school bus driver should have a minimum experience of 5 years of driving heavy vehicles
- No driver guilty of traffic violation should be appointed as school bus drivers
- Any parent or teacher should accompany students in the bus, for ensuring safety of students
- School authorities should systematically check whether school bus is following essential safety guidelines

SCHOOL BUS SAFETY RULES OF JHARKHAND

- Do not rush, wait till the bus stops.
- Get on the bus in single queue and maintain appropriate discipline.
- Use the hand rail while entering.
- Make sure that your bag or clothes don't get fixed anywhere.
- Go directly to the seat.
- Be seated correctly and face forward.
- Do not put any part of your body outside the bus.
- Do not travel on footboard.
- Keep the aisle clear.
- Do not make much noise and distract driver.
- Follow the instruction of driver and conductor.
- Do not be in a hurry, pause till the bus stops.
- Make use of handrail to get off the bus.
- Always get off from the front door of a school bus.
- Be visible to the driver while alighting.
- Do not try to pick up lost things near the bus.

SAFETY GUIDELINES OF KARNATAKA

- School authorities should assign a male as well as a female staff to protect students in the school bus until they reach the destination. Buses should install working GPS & CCTV facilities.
- Management should check driving licenses of each driver and should confirm whether they have any crime records from police.
- Managements should have written approval from vehicle owners showing that owners alone are responsible for violating norms by drivers.
- Managements should give strict instructions to drivers for staying inside vehicles. They should be given warning about not to try moving inside school premises and dragging children into unwanted conversation
- Only concerned teachers and supervisors should accompany students at school ground, swimming pool, labs, library, auditorium etc.
- Every schools must have Floor Vigilance Officers (FVO) for ensuring student safety. They should be able to monitor all the activities happening inside the campus
- CCTVs should be installed in the school buses
- Parents as well as students should be able to contact each other during emergencies
- Staff, office bearers of management, security guards, attendants should be given id cards of each student to contact at emergency situations
- School management should have security guards round a clock. These security staffs should report to their heads every two hours about safety status

SCHOOL BUS SAFETY RULES OF KERALA

- If a vehicle is used for transporting school children, On School Duty should be written on the bus in Blue letter on White background
- As per the Rule 151 of the Kerala Motor Vehicles Rules, 1989, a school bus should keep a first aid box inside it
- Every school bus window should be designed with horizontal grills for better safety
- A fire extinguisher should be there inside a school bus
- The name and contact details of the school should be displayed anywhere in the bus
- A reliable lock should be attached to every school bus door
- There should be sufficient space under the seat for keeping bags of students
- A bus attendant should be appointed in the bus for taking care of school children
- Any parent or a school authority should be present inside the bus for ensuring safety standards
- School authorities should not appoint a driver who is punished for traffic related offences twice in a year
- A record showing details of school bus students should always be kept inside the bus
- School buses should be monitored regularly by school authorities
- Every school bus seat should have at least a width of 265mm and a depth of 350mm
- School buses should be painted with golden yellow color
- Speed limiting device should be installed with a speed limit set at 50km/hr

SCHOOL BUS SAFETY RULES OF MADHYA PRADESH

- School bus should display the name of the school or educational institution and contact number that is not expired
- “School Bus” must be inscribed on the back and front of the bus and if it is a hired one, “On School Duty” should be shown in front of the bus
- There should be a First Aid box with adequate medicines and a functioning fire extinguisher with ISI marking inside the school bus
- All school bus windows should have horizontal grills in it
- Every school bus should undergo regular maintenance and it should be replaced at the right time after expiration date
- No school buses are allowed to carry children more than it is permitted
- It is necessary to provide space underneath the school bus seats for keeping students' bags safely
- A school bus attendant is necessary in every school bus
- School bus doors should have a firm locking system with alarms indicating that a door is open
- Any guardian or parent can accompany school bus students throughout the trip for improved safety

SCHOOL SAFETY RULES OF MAHARASHTRA

- There should be a separate committee for dealing with the issues related to school bus transportation. The committee should include School Principal, a PTA representative, bus administrator, police official, motor vehicle inspector, education inspector and all the relevant authorities
- School Principal should be responsible for school bus safety of students
- The school authorities should conduct a training regarding the usage of First Aid and fire extinguisher in the beginning of every academic year
- Every schools should appoint Traffic Wardens to administer traffic and assure safety of children during school hours
- There should be appropriate road markings and road signs near every schools with the permission from traffic police
- School authorities should make proper arrangements to ensure safe boarding of the school children from any vehicle
- All school bus drivers must undergo various health tests conducted by a qualified doctor
- Every school buses should possess insurance approved by a reputed insurance company
- A lady attendant should be there in every school buses for the safety of girl students
- There should be a first aid box with necessary medicines and equipment in every school buses
- Every school buses should have details about students along with their contact numbers for handling emergency situations
- No seats that block the emergency doors shall be permitted
- School buses shall not carry children more than the specified capacity of the buses
- No music shall be played inside the school bus
- No smoking or alcohol consumption by the school bus staffs
- Doors of the school bus must be closed while it is in motion

SCHOOL BUS SAFETY RULES OF MANIPUR

- No school bus should carry children more than its seating capacity
- Every school bus should have closed doors for safety of students
- A relevant certificate of fitness, pollution under control certificate, bill for tax payment etc. should be there for every school bus
- School buses should be painted with yellow color
- Name of the school or college and telephone number must be displayed in front and rear side of the bus
- Sufficient space should be provided for students to keep bags either on the roof of a school bus or under seats
- A list should be provided with names of student, blood group and contact details to every school bus drivers for handling emergency situations
- Every school bus must have a first aid box in it
- A device or system should be there to ensure interlocking of the sliding school bus doors
- School bus drivers should have at least five years of experience in driving heavy vehicles should wear uniforms and should not be blamed for traffic offences such as intoxicated driving, over speeding etc.
- No school bus should be permitted to run without an attendant
- A school transport committee should be organized within the school for conducting regular meetings, maintain records of school bus students and assure school transportation safety

SCHOOL BUS SAFETY RULES OF MEGHALAYA

- The word “School Bus” have to be inscribed on the front and back of the bus
- If the bus is a hired one, there should be a hoarding showing “On School Duty” in front of the school bus,
- Every school bus should have a First Aid box and a fire extinguisher inside it to use at the time of emergency
- There should be horizontal grills fitted on every school bus windows for better student safety
- All school bus should have its name and telephone number displayed on the front and rear side of the bus
- A proper locking system should be there in every school bus windows
- Every school bus should have space under the seats to keep student's bag
- A bus attendant, preferably a female one should be present inside the bus
- School bus students can be accompanied by either a guardian or a parent of students for ensuring better safety
- A school bus should undergo regular inspections by school authorities and have maintenance at the right time

SCHOOL BUS SAFETY RULES OF MIZORAM

- Every school should have a transport committee to monitor school bus transportation
- School principal should be responsible for safe transportation of students
- The school management should provide adequate training for using fire extinguishers and First Aid kit twice a year
- A female school bus attendant is necessary in every school bus
- Every school bus should have a First Aid Box with essential medicines and it should be checked once in a month by school authorities
- In every school bus, there should be a record showing details of students such as name, blood group, residential address and telephone number
- There should be a fire extinguisher kept near emergency door of the school bus
- A school bus should have relevant documents such as RTO papers, license, pollution under control certificate, insurance papers, etc.
- No school bus should be allowed to carry children more than its seating capacity
- Music should not be played inside a school bus
- No toxic substances should be consumed by any school bus officials
- When the bus is in motion, doors must always be kept closed for ensuring safety of passengers
- School bus should be cleaned regularly and air freshener must be available on each bus

SCHOOL BUS SAFETY RULES OF NAGALAND

- All school buses should have the relevant documents such as pollution under control certificate, certificate of fitness, license etc.
- School bus should be painted with yellow color
- A hoarding should be placed in front of the bus indicating “ School Bus” or “On School Duty”
- Every school bus should display the school name and its contact details both on the front of a bus and on its rear side
- There should be carriers fitted on the roof of a bus for keeping bags safely
- In every school bus, there should have a detailed list of students, their address, contact number and their blood group which is useful for handling emergencies
- It is necessary to have a first aid box and a fire extinguisher inside the school bus
- The windows of every school bus should have horizontal grills in it for better student safety
- School bus doors should have a strong locking system
- A female school bus attendant is essential for every school bus and any guardian or parent can be allowed to accompany school children for ensuring their safety

SCHOOL BUS SAFETY RULES OF ODISHA

- Every school buses should have an external color of Golden Yellow
- The word “School Bus” should be written both in front and rear top of a school bus and also school or college name should be clearly displayed at top of the front and rear ends and on both sides of the school bus
- Handrails should be firmly fixed near steps of the school bus
- School bus doors should have safe locking and unlocking system
- There should be a grilled partition to separate driver's cabin
- All school bus seats should be fixed with sufficient bolts and nuts to the floor board
- Every school bus window should be provided with horizontal steel bars
- The word “ Emergency Exit” should be inscribed in red color on a white background
- A first aid box with essential equipments and medicines must be there inside a school bus
- Two fire extinguishers with ISI marking should be present in every school bus
- A school bus should be installed with a speed controlling device and GPS tracker
- Every school bus should maintain a record containing details of student name, their blood group, contact number etc.
- School buses should have the relevant documents such as road permit, license, fitness certificate etc.
- A female attendant is necessary for school bus carrying girl students. At the bus stops, attendant should get down the bus and help the student to get on and off the school bus
- No driver or school bus attendant shall be below 21 years and above 50 years

SCHOOL BUS SAFETY RULES OF PUNJAB AND HARYANA

- School Bus should be written on the back and front of every bus transporting school children
- If it is a leased bus, “ON SCHOOL DUTY” should be made visible on the school bus
- No school bus should carry children exceeding its permitted seating capacity
- A first-aid-box and a fire extinguisher should be there inside every school bus
- Every school bus windows should have horizontal grills and doors should be fitted with reliable lock
- School bus should have its name and telephone number
- School bus drivers must possess a minimum experience of five years in driving heavy vehicles
- Apart from drivers, there must be another relevant authority in every school bus as per the Rule 17 of Motor Vehicle Rules
- There should be space provided under the seats for keeping school bags safely
- A teacher or any school authority should accompany from the school in the bus to ensure safety norms
- Vehicle such as bus, van, or any other transport should be allowed to carry school children if there is a proper permit
- All the school buses shall be road worthy, carry annual fitness certificate and insurance certificate
- All school bus conductors and drivers shall wear proper uniform and name; and have license number of the said driver and conductor
- The bus driver shall have a proper and valid license at the time of employment/engagement
- Every school buses should possess a valid pollution under control certificate
- The school buses are not allowed to exceed the speed of maximum 50 KMPH anywhere in the city
- Every school buses shall carry a board displaying the name of the school, route and timings on the front of the bus

- There should be proper control for managing the traffic in and around the school in every educational institutions
- There must be a record showing name, home address along with telephone number of school bus driver
- School bus should be regularly inspected by school authority
- Every school bus drivers should have at least 5 years of driving experience.
- The bus driver should not have been charged for more than three times in traffic violations
- All School buses should have a conductor or an attendant. And the attendant should receive proper training to handle the young children
- All schools should have proper parking area
- The conductors and drivers of the school buses shall attend a refresher course at least once in two years which is arranged by the Transport Department
- School bus drivers should be subjected to fitness tests

SCHOOL SAFETY GUIDELINES OF RAJASTHAN

- Always try to walk on the pathway. In the case of roads without pathway, walk on the right hand side of the roads
- Use zebra crossings to cross the road and cross only when the signal shows green
- Do not run or hurry on the road
- Never sit, stand or travel on footboard of the bus
- No body part should be shown outside the school bus
- There should be a fire extinguisher, first aid box etc. in every school bus
- A reliable lock must be fitted in every school bus and a horizontal grills should be there in every school buses
- School name and its telephone number must be written on the school bus
- A parent or a teacher should be appointed in the school bus to ensure student safety
- “On School duty” should be written and displayed on a vehicle, if it is a hired bus

SCHOOL BUS SAFETY RULES OF SIKKIM

- All the school buses must be painted with yellow color
- It is essential to write the word “School Bus” on the front and back of a school bus and if it is a hired bus “ On School Duty” must be shown in a visible manner in front of it
- The name of the school and its contact details should be displayed both on the front and rear side of a school bus
- School bus windows should have horizontal grills fitted to it and doors should have a reliable locking system
- Every school bus must be installed with speed controlling devices and GPS device
- A fire extinguisher and a first aid kit must be kept inside the school bus
- It is necessary to have a school bus attendant to take care of school children
- Each school should have a transport manager or coordinator for solving issues related to school transportation
- The school authorities should conduct a regular health check up for school bus drivers
- For keeping students' bags safely and conveniently, space should be provided to them under seats

SCHOOL BUS SAFETY RULES OF TAMIL NADU

- Following are some of the major school bus safety rules in Tamil Nadu,
- Two Emergency exits should be present in School buses
- Drivers should have at least 5 years of driving experience to be eligible for school bus driver
- Bus attendant needs to have conductor license
- Speed limit needs to be 40km/hour
- No overloading
- Damaged floor needs to immediately replaced
- Frequent mandatory inspection every 3 months

SCHOOL BUS SAFETY RULES OF TELANGANA

- Every school bus should be displayed with its name, contact number etc. on the left side of it
- A driver more than 60 years of age should not be appointed as school bus drivers and they should have a minimum experience of 5 years in driving
- School authorities should regularly check the health condition of every school bus drivers
- The management must make sure that license submitted by drivers is verified by RTA official
- Every school bus should have an emergency exit and it should be visible to school bus passengers
- A First aid box with essential medicines and equipments must be provided to every school bus
- There should be a proper parking place for school buses inside the school premises
- An attendant should be there inside every school bus. But, they should never be allowed to drive the bus
- Both drivers and attendants should wear uniforms as prescribed by the Transport Commissioner
- A school bus should also have fire extinguisher, dry power beside engine department and provision for keeping bags safely
- The school management should conduct safety lessons every year with approval from Transport Department of Telangana
- Every school buses should be provided with hand rails for safe entry and exit of students

SCHOOL BUS SAFETY RULES OF TRIPURA

- The word “School Bus” should be displayed on the front and back of the bus
- For a hired bus, “On School Duty” must be displayed clearly in front of the bus
- Every school bus should carry a First-Aid box with essential medicines and equipments
- School bus windows must have horizontal grills fixed in it so that students become more safe
- All school bus should have an Emergency door and a fire extinguisher, which is visible to everyone
- School name and telephone number should be displayed on the school bus clearly
- All school bus doors should have a steady locking system and unlocking system
- Sufficient space should be provided to all students for keeping their bags safely
- A trained school bus attendant is necessary for every school bus
- For better safety, a parent or a teacher can accompany school children

SCHOOL BUS SAFETY RULES OF UTTARAKHAND

- The word “School Bus” should be inscribed both on front and back of the bus
- “On School Bus Duty” should be shown in front of the bus if it is a hired one
- Every school bus should have a first aid box in it
- There should be horizontal grills on every school bus windows
- School bus should have an ISI marked fire extinguisher
- Name of the school or educational institution and its contact details must be written on the bus
- The doors of the school buses should have a strong lock system to ensure student safety
- Sufficient space must be provided to school bus students to keep their belongings safely
- There should be at least one school bus attendant to take care of the school children
- For additional safety, any parent or teacher can accompany students in the school bus

SCHOOL BUS SAFETY RULES OF UTTAR PRADESH

- It is vital to inscribe the word “ School Bus” on the front and back of the bus
- For those buses which are hired, “On School Duty” must be displayed in front of the bus visible to everyone
- No school bus should carry children more than it is permitted
- Every school bus should have a strong locking system and handrail should be placed near the doorsteps for safe entry and exit of students
- Do not allow students to stand near danger zones of school bus
- There should be enough space provided under the seat or roof of the bus to keep bags of students safely
- Every school bus should have a first aid box and an ISI marked fire extinguisher
- All school bus windows should have horizontal grills in it
- School bus drivers should have a minimum experience of 10 years and should not have any record of traffic offence
- A trained or qualified school bus attendant is necessary in a school bus
- In a school bus, a parent or a guardian can accompany students to ensure safety
- School name and its telephone number must be displayed on the front and rear side of the school bus

SCHOOL SAFETY RULES IN WEST BENGAL

- "School Bus" should be shown on the back and front of the school bus
- "On School Duty" should be shown, if the bus is hired
- Bus should have a First –Aid Box, and a fire extinguisher inside the school bus
- There should be horizontal grills on the school bus windows
- The name and telephone number of the school must be written on the Bus
- School bus doors should be equipped with reliable locks
- Space should be provided under the seats to keep school bags safely
- An attendant should be there inside the school bus
- A parent or a teacher should accompany students to ensure their safety

SCHOOL BUS SAFETY RULES OF ANDAMAN AND NICOBAR ISLANDS

- Every school bus should be painted in yellow color
- “School Bus” should be written on the front and back of the bus. And if it’s a hired one, “On School Duty” should be displayed on the school bus
- A school bus should have a first aid box and a fire extinguisher for handling emergency situations
- School bus windows should have horizontal grills
- There should be a speed governor in every school bus
- The name and telephone number of the school should be shown on the school bus
- A school bus door should have a reliable lock attached to it
- Sufficient space should be provided for students to keep their belongings
- A qualified attendant should be appointed in every school bus
- Any parent, guardian or a teacher should accompany school bus children for ensuring better safety
- A school bus driver should have at least 5 years of driving experience and
- No driver who is punished for offences such as over speeding, drunken driving, etc. should be employed

SCHOOL BUS SAFETY RULES OF CHANDIGARH

- All school buses must be painted with yellow color
- The word “School Bus” must be shown on the back and front of the bus. “On school duty” must be mentioned on the front of the bus if it is hired.
- Every school buses should have a First aid box and a fire extinguisher with them
- Buses should be fitted with equipments that regulate vehicle speed
- There should be horizontal grills fitted on every school bus windows
- School name and contact details should be displayed on the bus
- School bus doors should have reliable locks
- Space should be provided to keep the bags safely
- A qualified attendant should be there to manage the students in the bus
- School bus drivers should have a minimum experience of five years and must be punished for offences such as threatened driving, over speeding, intoxicated driving etc.

SCHOOL BUS SAFETY RULES OF DAMAN AND DIU

- Every school bus should be painted with yellow color
- “School Bus” should be clearly indicated on the front and back of the bus
- There should be a speed governor in every school bus with a speed limit of 40km/hr
- If the students’s age is below 12 years old, the number of children should not surpass 1 1/2 times the allowed seating capacity
- School bus driver should have a valid license for a period of at least four years
- Space should be provided to students for keeping their bags safely
- A complete list of students with their name, address, blood groups, and pickup point should be kept in a school bus
- A first aid box and a fire extinguisher should be kept in a school bus
- There should be a bus attendant in every school bus
- A parent, guardian, or a teacher can travel in a school bus for ensuring better student safety

SCHOOL BUS SAFETY RULES OF DADRA AND NAGAR HAVELI

- The word “School Bus” should be displayed on the front and back of the bus
- If the bus is a hired one, “On School Duty” should be shown clearly on the bus
- Every school bus should have a first aid box compulsorily
- Horizontal grills should be fitted in every school bus windows for better student safety
- There should be a fire extinguisher in a school bus
- The name of the school and their telephone number should be clearly indicated on the bus
- School bus doors should be attached with a strong lock
- A separate space should be provided under the seats to keep belongings of students safely
- There should be an attendant in every school bus
- A parent, guardian, or a teacher can accompany students to ensure safety norms

SCHOOL BUS SAFETY RULES OF DELHI

- A school bus driver should have at least 5 years of experience of driving a school bus
- School bus drivers should be punished for offences like dangerous driving, drunken driving, red light jumping, over speeding etc.
- Yellow color should be painted in every school bus
- School bus should be written both on the front and back of the bus. On School Duty should be marked on a hired bus
- GPS should be installed in every school bus and must always be in working condition
- Every school bus window should have horizontal grills
- There should be a fire extinguisher and a first aid box in every school buses
- School bus doors should be fitted with reliable locks
- A valid agreement and a complete list of school bus riders should be there inside the school bus
- School buses should be installed with a standard speed governing instrument

SCHOOL BUS SAFETY RULES OF LAKSHADWEEP

- “School Bus” should be written clearly on the front and back of the bus
- No school bus should carry children more than it is allowed
- All school bus windows should be fitted with horizontal grills
- School bus doors should have a safe and solid lock systems
- Every school bus should compulsorily have a first aid box and a fire extinguisher
- The name of the school and its contact details should be displayed on the bus
- There should be sufficient space provided to students for keeping their bags safely
- A parent or a teacher should accompany students in the school bus
- School bus drivers should have a minimum 5 years of experience in driving
- Every school bus should have a valid insurance certificate and a pollution under control certificate